Contents

Volume 24, Number 1, January 1997

1 Instructions to Authors

5 Monoclonal antibody detection of *Pseudomonas* spp. in refrigerated meat by an indirect ELISA *R. Gutierrez, T. García, I. González, B. Sanz, P. E. Hernández & R. Martín*

9 Thermal resistance of *Enterobacter sakazakii* in reconstituted dried-infant formula *M. Nazarowec-White & J. M. Farber*

14 Lactic acid bacteria: hydrophobicity and strength of attachment to meat surfaces *M. L. Marín, Y. Benito, C. Pin, M. F. Fernández, M. L. García, M. D. Selgas & C. Casas*

19 New media for detection and counting of Clostridia in foods *E. Dromigny, F. Bourrion, Y. Rugraf, F. J. Bolton & N. Leden*

23 A rapid plate assay for screening L-asparaginase producing micro-organisms *R. Gulati, R. K. Saxena & R. Gupta*

27 Physiological responses to sublethal hydrostatic pressure in *Yarrowia lipolytica R. Lanciotti, F. Gardini, M. Sinigaglia & M. E. Guerzoni*

33 An efficient transformation system for *Bifidobacterium* spp. *M. Rossi, P. Brigidi & D. Matteuzzi*

37 The effect of temperature on the growth of strains of *Kloeckera apiculata* and *Saccharomyces cerevisiae* in apple juice fermentation *A. Bilbao, A. Irastorza, M. Dueñas & K. Fernandez*

40 PCR detection of sequences similar to the AS-48 structural gene in bacteriocin-producing enterococci *H. M. L. J. Joosten, E. Rodriguez & M. Nuñez*

43 Glucosyltransferase activity of commercial juice-processing enzyme preparations *Y. D. Hang & E. E. Woodams*

47 Quantitative determination of the antifungal compound 6-pentyl-α-pyrone (6PAP) using a simple plate bioassay *J. M. Cooney, J. L. Vanneste, D. R. Lauren & R. A. Hill*

51 Optimization of the detection of bacteriophages induced from *Listeria* sp. *J.-P. Lemaître, A. Delcourt & A. Rousset*

55 Morphological adaptation of *Pseudomonas nautica* strain 617 to growth on eicosane and modes of eicosane uptake *D. R. Husain, M. Goutx, C. Bezac, M. Gilewicz & J.-C. Bertrand*

59 Isolation and characterization of a novel catalase-negative, urease-positive *Campylobacter* from cattle faeces *H. I. Atabay, J. E. L. Corry & S. L. W. On*

65 A case of foodborne listeriosis in Sweden *S. Loncarevic, M.-L. Danielsson-Tham, L. Mårtensson, Å. Ringnér, A. Runehagen & W. Tham*

69 Utilization of organophosphonates by environmental micro-organisms *J. W. McGrath, N. G. Ternan & J. P. Quinn*

74 Determining specific growth rates in different regions of *Salmonella typhimurium* colonies *A. L. McKay, A. C. Peters & J. W. T. Wimpenny*

Volume 24, Number 2, February 1997

77 Improvement of pectinase production by interspecific hybrids of *Aspergillus* strains *S. Solís, M. E. Flores & C. Huitrón*

82 Purification and characterization of galacto-oligosaccharide-producing β-galactosidase from *Sirobasidium magnum N. Onishi & T. Tanaka*

87 Unusual recovery of animal staphylococci from septic wounds of hospital patients in Ile-Ife, Nigeria *D. O. Kolawole & A. O. Shittu*

91 Faecal fatty acids and gastrointestinal upset in newborn infants *P. Ahtonen, O.-P. Lehtonen, P. Kero & E. Eerola*

95 Effect of pH and NaCl on growth from spores of non-proteolytic *Clostridium botulinum* at chill temperature *A. F. Graham, D. R. Mason, F. J. Maxwell & M. W. Peck*

101 Magnetic immunoseparation PCR assay (MIPA) for detection of hepatitis A virus (HAV) in American oyster (*Crassostrea virginica*) *E. I. López-Sabater, M.-Y. Deng & D. O. Cliver*

105 Production of amylase by the intestinal microflora in cultured freshwater fish *H. Sugita, J. Kawasaki & Y. Deguchi*

109 Fatty acid composition of *Streptomyces hygroscopicus* strains producing antibiotics *V. Gesheva, R. Rachev & S. Bojkova*

113 Detection of *Salmonella* spp. in food products by polymerase chain reaction and hybridization assay in microplate format *C. Soumet, G. Ermel, G. Salvat & P. Colin*

117 Isolation of an emulsifier from *Yarrowia lipolytica* NCIM 3589 using a modified mini isoelectric focusing unit *S. Zinjarde, S. Chinnathambi, A. H. Lachke & A. Pant*

122 Viability of starved *Pasteurella piscicida* in seawater monitored by flow cytometry and the effect of antibiotics on its resuscitation *B. Magariños, J. L. Romalde, A. Cid & A. E. Toranzo*

127 Evaluating current methods for determination of the susceptibility of mycobacteria to pyrazinamide, conventional, radiometric Bactec and two methods of pyrazinamidase testing *R. R. Cutler, P. Wilson, J. Villarroel & F. V. Clarke*

133 Enhancement of lytic enzyme production resulting from replacement of the usual morphological variant of industrial lysosubtilin producer *G. A. Biziulevichius & T. Normantiene*

136 Isolation of antibiotic-sensitive mutants of *Azotobacter chroococcum* by treatment with ascorbic acid *F. C. Garg, R. Bharati & P. K. Sharma*

139 Antibacterial activity of enterococci strains against *Vibrio cholerae A. C. Simonetta, L. G. Moragues de Velasco & L. N. Frisón*

144 Phosphorus release by pure cultures of *Acinetobacter* sp.: effect of the growth stage with cells cultivated on various carbon sources *E. Rustrian, J. P. Delgenes & R. Moletta*

149 Book reviews

Volume 24, Number 3, March 1997

153 Incorporation of nisin in micro-particles of calcium alginate *J. Wan, J. B. Gordon, K. Muirhead, M. W. Hickey & M. J. Coventry*

159 Factors affecting the production of an antimicrobial agent, plantaricin F, by *Lactobacillus plantarum* BF001 *M. J. B. Paynter, K. A. Brown & S. S. Hayasaka*

166 Nucleotide sequence analysis of two virulence-associated genes in *Listeria monocytogenes* serotype 1/2b and comparison with the same genes in other serotypes important in human disease *A. Vines & B. Swaminathan*

169 Multiple antibiotic resistance (MAR) index and its reversion in *Pseudomonas aeruginosa S. Paul, R. L. Bezbaruah, M. K. Roy & A. C. Ghosh*

172 A multiplex PCR for identifying Shiga-like toxin-producing *Escherichia coli* O157:H7 *J. Meng, S. Zhao, M. P. Doyle, S. E. Mitchell & S. Kresovich*

177 Elimination of adhering bacteria from surfaces by pulsed laser beams *A.-K. Sadoudi, J.-M. Herry & O. Cerf*

180 A zinc-dependent proteinase from the cell wall of *Lactobacillus delbrueckii* subsp. *bulgaricus D. Stefanitsi & J.-R. Garel*

185 Methods for the detection and enumeration of *Alicyclobacillus acidoterrestris* and investigation of growth and production of taint in fruit juice and fruit juice-containing drinks *G. L. Pettipher, M. E. Osmundson & J. M. Murphy*

190 Effect of essential oils from two Nigerian medicinal plants (*Azadirachta indica* and *Morinda lucida*) on growth and aflatoxin B_1 production in maize grain by a toxigenic *Aspergillus flavus S. A. Bankole*

193 Specific and sensitive detection of *Trichomonas tenax* by the polymerase chain reaction *N. Kikuta, A. Yamamoto, K. Fukura & N. Goto*

198 The flagellin gene as a stable marker for detection of *Pseudomonas fluorescens* SBW25 *N. Denning, J. A. W. Morgan, J. M. Whipps, J. R. Saunders & C. Winstanley*

203 A simple artificial urine for the growth of urinary pathogens *T. Brooks & C. W. Keevil*

207 Use of oxygen-permeable silicone rubber pouches for growing mass cultures of bacteria *T. A. Giambernardi & R. J. Klebe*

211 Site-directed mutagenesis of the aspartokinase gene *lys*C and its characterization in *Brevibacterium flavum J.-H. Lu & C.-C. Liao*

214 Comparison of polymerase chain reaction and conventional culture for the detection of legionellae in cooling tower waters in Singapore *D. L. K. Ng, B. B. Koh, L. Tay & B. H. Heng*

217 Immunomagnetic separation for enhanced flagellar antigen phase inversion in salmonella *R. H. Davies & C. Wray*

221 Replication of plasmids with the p15A origin in *Shewanella putrefaciens* MR-1 *C. R. Myers & J. M. Myers*

226 Letter to the Editor

Volume 24, Number 4, April 1997

229 Biodegradation of lantadene A, the pentacyclic triterpenoid hepatotoxin by *Pseudomonas pickettii O. P. Sharma, R. K. Dawra, A. K. Datta & S. S. Kanwar*

233 Rapid and sensitive method for the detection of *Aeromonas caviae* and *Aeromonas trota* by polymerase chain reaction *A. A. Khan & C. E. Cerniglia*

240 Transformation and expression of plasmid from *Nocardiodes* sp. to *Pseudomonas putida* *S. Sandhya, S. K. Prabu & R. Bala*

243 Optimization of RAPD for fingerprinting *Salmonella* *A. C. Hilton, J. G. Banks & C. W. Penn*

249 Detection of *Pseudomonas putida* B in the rhizosphere by RAPD *B. M. Hansen & A. Winding*

253 Rapid purification of extracellular tannase using polyethylene glycol–tannic acid complex *R. Gupta, S. Bradoo & R. K. Saxena*

256 Genes for albicidin biosynthesis and resistance span at least 69 kb in the genome of *Xanthomonas albilineans* *M. K. Wall & R. G. Birch*

261 The cross-contamination and survival of *Salmonella enteritidis* PT4 on sterile and non-sterile foodstuffs *M. A. Bradford, T. J. Humphrey & H. M. Lappin-Scott*

265 Comparison of aerobic and anaerobic methods for the microbiological monitoring of chilled packaged meat during storage *R. G. Bell, N. Penney & S. M. Moorhead*

269 Antimicrobial action of essential oils: the effect of dimethylsulphoxide on the activity of cinnamon oil *P. Hili, C. S. Evans & R. G. Veness*

276 Solar inactivation of faecal bacteria in water: the critical role of oxygen *R. H. Reed*

281 The co-disposal of a model brewery wastewater with domestic refuse *R. A. Rahim & I. A. Watson-Craik*

286 An evaluation of the use of 4-methylumbelliferyl-β-D-glucuronide (MUG) in different solid media for the detection and enumeration of *Escherichia coli* in foods *P. Villari, M. Iannuzzo & I. Torre*

291 Incidence of toxigenic *Escherichia coli* in soft cheese made with raw or pasteurized milk *E. J. Quinto & A. Cepeda*

296 Development of an acute and chronic ecotoxicity assay using *lux*-marked *Rhizobium leguminosarum* biovar *trifolii* *G. I. Paton, G. Palmer, M. Burton, E. A. S. Rattray, S. P. McGrath, L. A. Glover & K. Killham*

301 Study of the biosynthesis of fumonisins B1, B2 and B3 by different strains of *Fusarium moniliforme* *D. Melcion, B. Cahagnier & D. Richard-Molard*

306 A rapid sample preparation method for PCR detection of food pathogens based on buoyant density centrifugation *R. Lindqvist, B. Norling & S. Thisted Lambertz*

311 Identification of *Saccharomyces* sensu stricto and *Torulaspora* yeasts by PCR ribotyping *S. Smole Možina, D. Dlauchy, T. Deak & P. Raspor*

316 Letters to the Editor

Volume 24, Number 5, May 1997

319 *A Review*: Regulatory components including integration host factor, CysB and H-NS, that influence pH responses in *Escherichia coli* *R. J. Rowbury*

329 Total biodegradation of the oestrogenic mycotoxin zearalenone by a bacterial culture *M. Megharaj, I. Garthwaite & J. H. Thiele*

334 Analysis of PCB-degrading bacteria: physiological aspects *J. Pazlarová, K. Demnerová, M. Macková & J. Burkhard*

337 Oligosaccharide profiles of soybeans during kinema production *P. K. Sarkar, L. J. Jones, G. S. Craven & S. M. Somerset*

340 A closed system for the filtration of *Mycobacterium bovis* liquid cultures using disposable capsule filters *E. A. Sugden, P. Martineau, E. B. Rohonczy & K. Stilwell*

343 The use of the bacteriocin, nisin, as a preservative in ricotta-type cheeses to control the food-borne pathogen *Listeria monocytogenes* *E. A. Davies, H. E. Bevis & J. Delves-Broughton*

347 Survival of *Escherichia coli* O157:H7 in yoghurt during preparation and storage at 4°C *S. Massa, C. Altieri, V. Quaranta & R. De Pace*

351 The detection of *Escherichia coli* DNA in the ancient remains of Lindow Man using the polymerase chain reaction *E. J. Fricker, M. Spigelman & C. R. Fricker*

355 The construction and application of a *lux*-based nitrate biosensor *A. G. Prest, M. K. Winson, J. R. M. Hammond & G. S. A. B. Stewart*

361 Recovery of *Lactobacillus rhamnosus* GG from human colonic biopsies *M. Alander, R. Korpela, M. Saxelin, T. Vilpponen-Salmela, T. Mattila-Sandholm & A. von Wright*

365 Lactose-induced expression of *Bacillus* sp. TS-23 amylase gene in *Escherichia coli* regulated by a T7 promoter *L.-L. Lin & W.-H. Hsu*

369 Methylxanthines as inducers of pectin lyase in *Penicillium griseoroseum* cultured on sucrose *R. C. Minussi, M. C. Baracat-Pereira, J. L. C. Coelho & D. O. Silva*

373 Importance of *Photobacterium phosphoreum* in relation to spoilage *P. Dalgaard, O. Mejlholm, T. J. Christiansen & H. H. Huss*

379 Studies in polysaccharide production and growth of *Azotobacter vinelandii* MTCC 2459, a plant rhizosphere isolate *M. V. Vermani, S. M. Kelkar & M. Y. Kamat*

384 Cultivation of *Thermoanaerobium brockii* in continuous culture with complete cell recycling *Å. Manelius & O. Holst*

389 Xylanolytic activity of commercial juice-processing enzyme preparations *Y. D. Hang & E. E. Woodams*

393 A small heat shock protein from *Leuconostoc oenos* induced by multiple stresses and during stationary growth phase *J. Guzzo, F. Delmas, F. Pierre, M.-P. Jobin, B. Samyn, J. Van Beeumen, J.-F. Cavin & C. Diviès*

397 Rapid semi-quantitative fluorimetric determination of citrinin in fungal cultures isolated from cheese and cheese factories *B. I. Vázquez, C. Fente, C. M. Franco, E. Quinto, A. Cepeda & P. Prognon*

401 A 5-h screening and 24-h confirmation procedure for detecting *Escherichia coli* O157:H7 in beef using direct epifluorescent microscopy and immunomagnetic separation *L. Restaino, E. W. Frampton, R. M. Irbe & D. R. K. Allison*

405 Interactive effects of temperature and *o*-cresol co-disposal on the methanogenic fermentation of refuse *Sulisti, E. Senior & I. A. Watson-Craik*

410 β-Xylosidase and xylanase characterization and production by *Streptomyces* sp. CH-M-1035 *M. E. Flores, R. Pérez & C. Huitrón*

417 Effect of water activity on high hydrostatic pressure inhibition of *Zygosaccharomyces bailii E. Palou, A. López-Malo, G. V. Barbosa-Cánovas, J. Welti-Chanes & B. G. Swanson*

421 Optimization of haemolysis in enhanced haemolysis agar (EHA)—a selective medium for the isolation of *Listeria monocytogenes R. R. Beumer, M. C. te Giffel & L. J. Cox*

426 VNTR derived oligonucleotides as PCR primers for population studies in filamentous fungi *P. D. Bridge, D. A. Pearce, A. Rivera & M. A. Rutherford*

Volume 24, Number 6, June 1997

431 Improved microscopic identification of *Clavibacter michiganensis* subsp. *sepedonicus* cells by combining *in situ* hybridization with immunofluorescence *X. Li, S. H. De Boer & L. J. Ward*

435 Co-metabolism and microbial growth in the biodegradation of alkylbenzenesulphonates *M. L. Marques, J. Silva & J. C. Roseiro*

438 A high homology exists in N-terminal amino acid sequences of δ-endotoxins between Lepidoptera-specific and Coleoptera-specific *Bacillus thuringiensis* strains *N. Wasano, H. Saitoh & M. Ohba*

441 Degradation of 3-chlorobenzoate by thermophilic micro-organisms *S. E. Maloney, T. S. Marks & R. J. Sharp*

445 A comparison of immunomagnetic and surface adhesion immunofluorescent techniques for the rapid detection of *Listeria monocytogenes* and *Listeria innocua* in meat *G. Duffy, J. J. Sheridan, H. Hofstra, D. A. McDowell & I. S. Blair*

451 Expression of mosquitocidal crystal protein genes in non-insecticidal *Bacillus thuringiensis* subsp. *israelensis J. Y. Roh, H. W. Park, Y. H. Je, D. W. Lee, B. R. Jin, H. W. Oh, S. S. Gill & S. K. Kang*

455 Evaluation of the Biolog system for the identification of food and beverage yeasts *W. Praphailong, M. Van Gestel, G. H. Fleet & G. M. Heard*

460 A novel tubular bioassay for measuring the production of antagonistic chemicals produced at the fungal/pathogen interface *J. M. Cooney, D. R. Lauren & L. J. Perry-Meyer*

463 Identification of cheese-associated fungi using selected ion monitoring of volatile terpenes *T. O. Larsen*

467 Description of *Bacillus thuringiensis wratislaviensis* (H-47), a new serotype orginating from Wrocław (Poland), and other *Bt* soil isolates from the same area *E. Lonc, M.-M. Lecadet, T. M. Lachowicz & E. Panek*

474 The utilization of organosulphonates by soil and freshwater bacteria *J. E. King & J. P. Quinn*

479 Antibiotic resistance and plasmid profile of *Aeromonas hydrophila* isolates from cultured fish, Telapia (*Telapia mossambica*) *R. Son, G. Rusul, A. M. Sahilah, A. Zainuri, A. R. Raha & I. Salmah*

483 Distribution of restriction endonucleases among some entomopathogenic strains of *Bacillus sphaericus V. Zahner & F. G. Priest*

488 Generation of polyclonal antibodies against a chemically synthesized N-terminal fragment of the bacteriocin pediocin PA-1 *M. I. Martínez, J. M. Rodríguez, A. Suárez, J. M. Martínez, J. I. Azcona & P. E. Hernández*

493 Immunomagnetic separation and conventional culture procedure for detection of naturally occurring *Salmonella* in raw pork sausages and chicken meat *G. Ripabelli, M. L. Sammarco, A. Ruberto, G. Iannitto & G. M. Grasso*

498 Efficiency of the polymerase chain reaction amplification of the *uid* gene for detection of *Escherichia coli* in contaminated water *S. Iqbal, J. Robinson, D. Deere, J. R. Saunders, C. Edwards & J. Porter*

503 Index